

BAB V

KESIMPULAN dan SARAN

5.1 Kesimpulan

Kesimpulan yang didapat dari penelitian ini adalah :

1. Nilai TAC paling optimum adalah sebesar \$ 369,900
2. TAC paling optimum terdapat pada letak *feed* asam dodecanoate 2, *feed* 2-ethyl heksanol 12, dan jumlah tahap reaktif 11.
3. Optimasi produksi *2-EthylHexyl Dodecanoate* menghasilkan TAC lebih rendah 10%.

5.2 Saran

Saran yang bisa ditujukan untuk penelitian selanjutnya adalah :

1. Dilakukan optimasi dengan cara simultan dengan *software simplex*, karena memungkinkan untuk mendapatkan hasil optimasi berbeda dan TAC lebih rendah untuk digunakan dalam dunia industri.

DAFTAR PUSTAKA

- Aldrich, S. (2021). *Harga Katalis Zirconia Tersulfat*.
<https://www.sigmaaldrich.com/ID/en/product/aldrich/481505>
- Amma, A., Mahatmanti, F. W., & Widiarti, N. (2018). *Indonesian Journal of Chemical Science Esterifikasi Minyak Jelantah*. 7(3), 264–266.
- Bahrmann, H., Aktiengesellschaft, R., Hahn, H., Aktiengesellschaft, R., Mayer, D., & Aktiengesellschaft, H. (1979). 2-Ethylhexanol. *Food and Cosmetics Toxicology*, 17(SUPPL.), 775–777. [https://doi.org/10.1016/S0015-6264\(79\)80032-2](https://doi.org/10.1016/S0015-6264(79)80032-2)
- Davidek, J., Velišek, J., Kubelka, V., Janíček, G., & Šimicová, Z. (1980). Glycerol chlorohydrins and their esters as products of the hydrolysis of tripalmitin, tristearin and triolein with hydrochloric acid. *Zeitschrift Für Lebensmittel-Untersuchung Und -Forschung*, 171(1), 14–17. <https://doi.org/10.1007/BF01044410>
- Dr. Hendra Jaya, S.Pd., M. T., Prof. Dr. Sapto Haryoko, M. P., & Dr. Lu'mu, M. P. (2015). *Praktikum Simulasi Berbasis Website*. Edukasi Mitra Grafika.
- ECHA. (2020). *Substance Infocard - Coumarin 2 Ethylhexyl Dodecanoate*. 1–5.
<https://echa.europa.eu/de/substance-information/-/substanceinfo/100.001.897>
- Fallis, A. ., & Gonzalez, R. (2013). Sustainable Production and Deployment of Biodiesel in Texas Final Report. In *Journal of Chemical Information and Modeling* (Vol. 53, Issue 9).
- Gandhi, N. N. (1997). Applications of Lipase, Department of Chemical Engineering, Faculty of Engineering, University of Waterloo, Waterloo ON N2L 3G1, Canada. *Journal of the American Oil Chemists' Society*, 74(6), 621–634.
<https://link.springer.com/article/10.1007/s11746-997-0194-x>
- Gunantara, N. (2018). *Teknik Optimasi* (Jiwa Atmaj, Issue October). UDAYANA UNIVERSITY PRESS. <http://udayanapress.unud.ac.id>
- Hamid, A. K. (2007). HYSYS: An introduction to chemical engineering simulation. *Simulation*, 4–5.

- Krop, H. B., Velzen, M. J. M. V., Parsons, J. R., & Govers, H. A. J. (1997). Determination of environmentally relevant physical-chemical properties of some fatty acid esters. *JAOCS, Journal of the American Oil Chemists' Society*, 74(3), 309–315.
<https://doi.org/10.1007/s11746-997-0142-9>
- Kumar, H., & Arora, S. (2014). Modeling of Reactive Distillation Column for the production of Ethyl Acetate. *International Journal of Current Engineering and Technology*, 4(April), 842–845.
- Lestari, M. F. (2018). Studi Pengaruh Suhu Kalsinasi terhadap Sintesis Katalis Asam Heterogen Zirkonia Tersulfatas (So₄/ZrO₂) dari Jenis Prekursor Zirkonium Oksida (ZrO₂). *Indonesian Journal of Fundamental Sciences*, 4(2), 161.
<https://doi.org/10.26858/ijfs.v4i2.7645>
- Lide, D. R., Data, S. R., Board, E. A., Baysinger, G., Chemistry, S., Library, C. E., Berger, L. I., Goldberg, R. N., Division, B., Kehiaian, H. V., Kuchitsu, K., Rosenblatt, G., Roth, D. L., & Zwillinger, D. (2004). *CRC Handbook of Chemistry and Physics*. 2660.
- Litbang.Pertanian.go. (2016). *KELAPA*. Pertanian.Go.Id.
<http://inaagrimap.litbang.pertanian.go.id/index.php/sentra-produksi/tanaman-perkebunan/kelapa>
- Luyben, W. L., & Yu, C.-C. (2008a). Reactive Distillation Design and Control. In *Reactive Distillation Design and Control* (Vol. 7, Issue 2). A John Wiley & Sons, inc. Publication.
- Luyben, W. L., & Yu, C. C. (2008b). Reactive Distillation Design and Control. In *Reactive Distillation Design and Control*. <https://doi.org/10.1002/9780470377741>
- Machner, K. (2000). Aspen Plus User Guide. *Fresenius' Zeitschrift Für Analytische Chemie*, 10.2. <https://doi.org/10.1007/BF00447266>
- May, P. (2012). Lauric acid (the main constituent of Coconut oil). *University of Bristol.*, April, 4–6.
- Nichols, R. J. (2003). The methanol story: A sustainable fuel for the future. *Journal of Scientific and Industrial Research*, 62(1), 97–105.

- Omota, F., Dimian, A. C., & Bliek, A. (2003). Fatty acid esterification by reactive distillation: Part 2 - kinetics-based design for sulphated zirconia catalysts. *Chemical Engineering Science*, 58(14), 3175–3185. [https://doi.org/10.1016/S0009-2509\(03\)00154-4](https://doi.org/10.1016/S0009-2509(03)00154-4)
- Omota, Florin, Dimian, A. C., & Bliek, A. (2003). Fatty acid esterification by reactive distillation. Part 1: Equilibrium-based design. *Chemical Engineering Science*, 58(14), 3159–3174. [https://doi.org/10.1016/S0009-2509\(03\)00165-9](https://doi.org/10.1016/S0009-2509(03)00165-9)
- PubChem. (2020). *2-Ethylhexanol*. COMPOUND SUMMARY 2-Ethylhexanol. <https://pubchem.ncbi.nlm.nih.gov/compound/7720#section=Methods-of-Manufacturing>
- PubChem, 2-EHD. (2020). *2 Ethylhexyl Dodecanoate*. COMPOUND SUMMARY-2 Ethylhexyl Dodecanoate. https://pubchem.ncbi.nlm.nih.gov/compound/2S_-2-Ethylhexyl_-dodecanoate#section=Structures
- PubChem, D. (2020). *Dodecanoate C12H23O2*. Dodecanoate. <https://doi.org/10.37358/rc.20.1.7720>
- PubChem, M. (2020). *Methanol CH4O*. Methanol. <https://doi.org/10.5517/cc9m4qr>
- Rahmawati, N., & Agustina, L. (2007). *Prarancangan Pabrik 2-Etil Heksanol Proses Ruhrchemie AG. Dari Propilen dan Gas Sintesa Kapasitas 100.000 Ton/Tahun*. 1–462.
- Report, M. S. (2020). *Global Fatty Acid Ester Market 2020 by Manufacturers, Regions, Type and Application, Forecast to 2025*. https://www.marketstudyreport.com/reports/global-fatty-acid-ester-market-2020-by-manufacturers-regions-type-and-application-forecast-to-2025?gclid=Cj0KCQiAk53-BRD0ARIIsAJuNhpsj6mk6C0yAJxQ7MGRRYJdUWXmCEg7IlliCCr3ONrGEJnVdW9v5JOfMaAh3OEALw_wcB
- Sakhre, V. (2019). Reactive Distillation: Modeling, Simulation, and Optimization. *Distillation - Modelling, Simulation and Optimization*. <https://doi.org/10.5772/intechopen.85433>

- Santoso, P. D. I. U. (2017). *Kelapa-Kekayaan Indonesia*. Teknologi Pertanian, UGM. <https://kanalpengetahuan.tp.ugm.ac.id/berita-populer/2017/38-kelapa-kekayaan-indonesia.html>
- Scudder, P. H. (2013). Electron Flow in Organic Chemistry. In *A John Wiley & Sons, INC., Publication* (2nd ed., Vol. 2, Issue 2). A John Wiley & Sons, INC., Publication.
- Setijadi, E. (2018). *sainspop.com*. <https://sainspop.com/2018/11/07/molekul-bulan-ini-asam-laurat-si-asam-dari-buah-kelapa/>
- Tarigan, B. J. (2009). Ester Asam Lemak. *USU Repository 2008, 1*.
- The CPI Professional, C. E. E. (2021). *Plant Cost Index Archives - Chemical Engineering*. <https://www.chemengonline.com/site/plant-cost-index/>
- Triningrat, A. M. P., Rahayu, N. M. K., & Manuaba, I. P. (2010). Visual Acuity of Methanol Intoxicated Patients Before and After Hemodialysis, Methylprednisolone and Prednisone Therapy. *Jurnal Oftalmologi Indonesia*, 7(4), 18–21.
- Turton, R., Bailie, R. C., B, W., Shaeiwitz, W. J. A., & Bhattacharyya, D. (2001). Analysis, synthesis, and design of chemical processes. In *Choice Reviews Online* (Vol. 36, Issue 02). <https://doi.org/10.5860/choice.36-0974>
- U.S. Department, U. S. D. E. E. and R. E. (2003). *A BestPractices Steam Technical Brief - How To Calculate The True Cost of Steam*. 13.
- Utami, D. I., & Matondang, N. I. (2016). *Pra Rencana Pabrik Pembuatan Metanol Kapasitas 420.000 Ton/Tahun*.
- W, I. G. P., & Hudaya, T. (2017). *Study of the Dynamics of Reactive Distillation Process in Production 2-EthylhexylDodecanoate Using Aspen Plus Dynamics : Toggle Function Product Composition Against Reboiler Load and Reflux Rate*. 1–8.
- Wiratama, I. G. P., & Hudaya, T. (2017). *Studi Dinamika Proses Distilasi Reaktif Dalam Produksi 2-Ethylhexyl- Dodecanoate Menggunakan Aspen Plus Dynamics : Fungsi Alih Antara Komposisi Produk Terhadap Beban Reboiler dan Laju Refluks*. April, 1–8.