

CHAPTER 5

CONCLUSION AND RECOMMENDATION

5.1 Conclusion

The conclusions of this study are:

1. Dam-break inundation area analysis can be done in 1D, hybrid 1D-2D, and 2D analysis.
2. 1D analysis has the fastest computational time followed by 2D and hybrid 1D-2D analysis respectively.
3. The hybrid 1D-2D and 2D models can predict the inundation area showing a sufficiently accurate result. However, 1D model has overestimated the inundation area.
4. 2D model has the most accurate result.
5. Although 2D model provides more accurate results, 1D model may be still preferable for fast flood predictions to be integrated in an early warning system due to its low computational time.

5.2 Recommendation

It is recommended to make a further study for the hybrid 1D-2D model which focuses on the computational time issue. The study would explain the difference between the hybrid 1D-2D models where the concentrated variable is the transfer process.

REFERENCES

- Antonia Sebastian, Andrew Juan, & Philip B. Bedient. (2022). Urban Flood Modeling: Perspectives, Challenges, and Opportunities. In S. Brody, Y. Lee, & B. B. Kothuis (Eds.), *Coastal Flood Risk Reduction* (pp. 47–60). The Netherlands and the U.S. Upper Texas Coast. <https://doi.org/https://doi.org/10.1016/B978-0-323-85251-7.00005-6>
- Awal, R. ;, Nakagawa, H. ;, Fujita, M. ;, Kawaike, K. ;, Baba, Y. ;, Zhang, H., Awal, R., Nakagawa, H., Fujita, M., Kawaike, K., & Baba, Y. (2011). *Study on Piping Failure of Natural Dam*. <http://hdl.handle.net/2433/151038>
- Bettoli, G. M., Ferreira, M. E., Motta, L. P., Cremon, É. H., & Sano, E. E. (2021). Conformity of the nasadem_hgt and alos aw3d30 dem with the altitude from the brazilian geodetic reference stations: A case study from Brazilian Cerrado. *Sensors*, 21(9). <https://doi.org/10.3390/s21092935>
- Bhola, P. K., Leandro, J., & Disse, M. (2018). Framework for offline flood inundation forecasts for two-dimensional hydrodynamic models. *Geosciences (Switzerland)*, 8(9). <https://doi.org/10.3390/geosciences8090346>
- BNPB. (2013a). *Sebagian Bendungan Way Ela Jebol*. <https://www.bnrb.go.id/berita/sebaigan-bendungan-way-ela-jebol>
- BNPB. (2013b). *Status Awas Waduk Way Ela di Maluku, 4.817 Jiwa Harus Siaga*. <https://bnrb.go.id/berita/status-awas-waduk-way-ela-di-maluku-4-817-jiwa-harus-siaga>
- Cook, A. C. (2008). *Comparison of one-dimensional HEC-RAS with two-dimensional FESWMS model in flood inundation mapping*.
- Costa, J. E., & Schuster, R. L. (1987). *THE FORMATION AND FAILURE OF NATURAL DAMS*.
- EQUATOR. (2023, November 29). *What is a Digital Elevation Model (DEM)? Where can I Download Data? (and other answers)*.

FEMA. (2013). *Federal Guidelines for Inundation Mapping of Flood Risks Associated with Dam Incidents and Failures, First Edition, FEMA P-946/July 2013.*

Fread, D. L. (1988). *BREACH: AN EROSION MODEL FOR EARTHEN DAM FAILURES.*

Froehlich, D. C. (2008). *Embankment Dam Breach Parameters and Their Uncertainties.* <https://doi.org/10.1061/ASCE0733-94292008134:121708>

Gharbi, M., Soualmia, A., Dartus, D., & Masbernat, L. (2016). Comparison of 1D and 2D Hydraulic Models for Floods Simulation on the Medjerda River in Tunisia. *J. Mater. Environ. Sci*, 7(8), 3017–3026.

Gilles, D., Young, N., Schroeder, H., Piotrowski, J., & Chang, Y. J. (2012). Inundation mapping initiatives of the Iowa flood center: Statewide coverage and detailed urban flooding analysis. *Water (Switzerland)*, 4(1), 85–106. <https://doi.org/10.3390/w4010085>

GOV.UK. (2023, August 2). *Hydraulic modelling: best practice (model approach).* <https://www.gov.uk/government/publications/river-modelling-technical-standards-and-assessment/hydraulic-modelling-best-practice-model-approach>

HEC-RAS. (2016). *HEC-RAS River Analysis System Hydraulic Reference Manual.* www.hec.usace.army.mil

HEC-RAS. (2021). *HEC-RAS River Analysis System Hydraulic Reference Manual.* www.hec.usace.army.mil

HEC-RAS. (2023a). *HEC-RAS River Analysis System 1D Vs. 2D Hydraulic Modeling.*

HEC-RAS. (2023b). *HEC-RAS River Analysis System HEC-RAS 2D User's Manual.*

Kieswanti, C. (2023). *UNDERGRADUATE THESIS COMPARISON OF SEVERAL BREACHING EMPIRICAL FORMULAS FOR DAM-BREAK PROPAGATION ANALYSIS OF WAY ELA DAM, AMBON, INDONESIA.*

- Mark, O., Weesakul, S., Apirumanekul, C., Aroonnet, S. B., & Djordjević, S. (2004). Potential and limitations of 1D modelling of urban flooding. *Journal of Hydrology*, 299(3–4), 284–299. <https://doi.org/10.1016/j.jhydrol.2004.08.014>
- NPDM. (2011). *NPDP Dam Incident Query*.
- Sabbagh-Yazdi, S.-R., & Zounemat-Kermani, M. (2009). Numerical Solution of Tidal Currents at Marine Waterways Using Wet and Dry Technique on Galerkin Finite Volume Algorithm. In *Computers & Fluids* (Vol. 38, pp. 1876–1886). <https://doi.org/10.1016/j.compfluid.2009.04.010>
- Salahuddin, S., Lopa, R. T., & Hatta, P. (2020). *KECEPATAN ALIRAN DEBRIS AKIBAT RUNTUHNYA BENDUNGAN ALAM*.
- Shahrim, M. F., & Ros, F. C. (2020). Dam Break Analysis of Temenggor Dam Using HEC-RAS. *IOP Conference Series: Earth and Environmental Science*, 479(1). <https://doi.org/10.1088/1755-1315/479/1/012041>
- SMEC. (n.d.). *CHAPTER-8 DAM BREAK ANALYSIS AND DISASTER MANAGEMENT PLAN*.
- Suneth, M. N., Pattiselano, A. E., & Adam, F. P. (2016). *Ecological Adaptation Strategies (A Case Study of Way Ela Natural Disaster in Negeri Lime Village, Leihitu District, Central Maluku Regency)*.
- Suwanno, P., Yaibok, C., Tsumita, N., Fukuda, A., Theerathitichaipa, K., Seefong, M., Jomnonkwa, S., & Kasemsri, R. (2023). Estimation of the Evacuation Time According to Different Flood Depths. *Sustainability (Switzerland)*, 15(7). <https://doi.org/10.3390/su15076305>
- Takaku, J., Tadono, T., Doutsu, M., Ohgushi, F., & Kai, H. (2020). Updates of aw3d30' alos global digital surface model with other open access datasets. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 43(B4), 183–190. <https://doi.org/10.5194/isprs-archives-XLIII-B4-2020-183-2020>

Yakti, B. P., Adityawan, M. B., Farid, M., Suryadi, Y., Nugroho, J., & Hadihardaja, I. K. (2018). 2D Modeling of Flood Propagation due to the Failure of Way Ela Natural Dam. *MATEC Web of Conferences*, 147. <https://doi.org/10.1051/matecconf/201814703009>

Yudianto, D., Ginting, B. M., Sanjaya, S., Rusli, S. R., & Wicaksono, A. (2021). A framework of dam-break hazard risk mapping for a data-sparse region in Indonesia. *ISPRS International Journal of Geo-Information*, 10(3). <https://doi.org/10.3390/ijgi10030110>

