BAB 7

KESIMPULAN

Berdasarkan uraian dalam tugas akhir ini, penulis telah menggunakan formalisme Newman-Penrose untuk memperlihatkan separabilitas pada persamaan medan skalar bermuatan dalam geometri Kerr-Newman. Hasil di persamaan (5.27), dan (5.26) cocok dengan yang ada di dalam literatur [28]. Formalisme Newman-Penrose terasa efektif saat membahas medan skalar nirmassa dan bermuatan dalam geometri Kerr-Newman terakselerasi, dimana penulis berhasil mendapatkan persamaan gerak untuk medan tersebut. Seharusnya persamaan (6.13) dapat diseparasi, sebagaimana dalam kasus Kerr terakselerasi [27, 29]. Namun, tingkat kerumitan persamaan (6.13) yang cukup tinggi membutuhkan waktu pengerjaan yang lebih panjang dari waktu normal pengerjaan tugas akhir tingkat sarjana.

DAFTAR REFERENSI

[1] Regge, T. dan Wheeler, J. A. (1957) Stability of a schwarzschild singularity. *Phys.Rev.*, **108**.

[2] Vishveshwara, C. V. (1970) Stability of the schwarzschild metric. *Phys. Rev. D*, **1**, 2870–2879.

[3] Zerilli, F. J. (1970) Effective potential for even-parity regge-wheeler gravitational perturbation equations. *Phys. Rev. Lett.*, **24**, 737–738.

[4] Zerilli, F. J. (1970) Gravitational field of a particle falling in a schwarzschild geometry analyzed in tensor harmonics. *Phys. Rev. D*, **2**, 2141.

[5] Teukolsky, S. A. The kerr metric. arXiv:1410.2130.

[6] Carter, B. (1968) Hamilton-jacobi and schrodinger separable solutions of einstein's equations. *Commun. math. Phys.*, **10**, 280–310.

[7] Fackerell, E. D. dan Ipser, J. R. (1972) Weak electromagnetic fields around a rotating black hole. *Phys. Rev. D*, **5**, 2455.

[8] Price, R. H. (1972) Nonspherical perturbations of relativistic gravitational collapse. i. scalar and gravitational perturbations. *Phys. Rev. D*, **5**, 2419.

[9] Teukolsky, S. A. (1972) Rotating black holes: Separable wave equations for gravitational and electromagnetic perturbations. *Phys. Rev. Lett.*, **29**, 1114.

[10] Semiz, I. (1992) Klein-gordon equation is separable on the dyon black-hole metric. *Physical Review D*, **45**, 532–533.

[11] Newman, E. T. dan Penrose, R. (1962) An approach to gravitational radiation by a method of spin coefficients. *Journal of Mathematical Physics*, **3**, 566–578.

[12] Penrose, R. dan Rindler, W. (1987) *Spinors and Space-Time: Volume 1, Two-Spinor Calculus and Relativistic Fields.* Cambridge univ. Press, Cambridge.

[13] O'Donnell, P. (2003) *Introduction to 2-Spinors in General Relativity.* World Scientific, Singapore.

[14] Chandrasekhar, S. (2002) *The Mathematical Theory of Black Holes.* Oxford Univ. Press, Oxford.

[15] Silva-Ortigoza, G. (1996) Solutions of the klein-gordon equation in the carter a solution. *Revista Mexicana de Fisica*, **42**, 543–549.

[16] Poisson, E. (2007) *A Relativist's Toolkit: The Mathematics of Black-Hole Mechanics.* Cambridge University Press, Cambridge.

[17] Griffiths, D. (1987) *Introduction to Elementary Particles.* WILEY-VCH.

[18] Weinberg, S. (1972) *Gravitation and Cosmology: Principles and Applications of the General Theory of Relativity.* John Wiley and Sons, New York.

[19] Hawking, S. dan Ellis, G. (1973) *The Large Scale Structure of Space-Time.* Cambridge univ. Press, Cambridge.

[20] Dhurandhar, S. V. (1997) *Tetrads, the Newman-Penrose Formalism and Spinors. In: Iyer B.R., Vishveshwara C.V. (eds) Geometry, Fields and Cosmology. Fundamental Theories of Physics (An International Book Series on The Fundamental Theories of Physics: Their Clarification, Development and Application), vol 88.* Springer, Dordrecht.

[21] Ryder, L. (2009) *Introduction to General Relativity.* Cambridge univ. Press, Cambridge.

[22] Stewart, J. (1991) *Advanced General Relativity.* Cambridge univ. Press, Cambridge.

[23] Wheeler, J., Misner, C., dan Thorne, K. (1973) *Gravitation.* W.H. Freeman Co.

[24] Griffiths, J. B. dan Podolsky, J. (2009) *Exact Space-Times in Einstein's General Relativity.* Cambridge Univ. Press.

[25] Carter, B. (1968) Global structure of the kerr family of gravitational fields. *World Scientific*, **174**, 1559.

[26] Podolsky, J. dan Griffiths, J. B. (2006) Accelerating kerr-newman black holes in (anti-)de sitter space-time. *Physical Review D*, **73**.

[27] Kofroň, D. (2016) Separability of test fields equations on the c-metric background ii. rotating case and the meissner effect. *Physical Review D*, **93**.

[28] Bezerra, V. B., Vieira, H. S., dan Costa, A. A. (2014) The Klein-Gordon equation in the spacetime of a charged and rotating black hole. *Class. Quant. Grav.*, **31**, 045003.

[29] Bini, D., Cherubin, C., dan Geralico, A. (2008) Massless field perturbations of the spinning c metric. *Journal of Mathematical Physics*, **49**.